

AVENUE DECONSTRUCTED

#1 COMMERCIAL FINISH

- 12 Coats of Finish
- Commercially Rated



#3 TRUEORE CENTER CORE

- Double Pressed
- Third Party Certified
- Responsibly Sourced


- European Oak
 - American Hickory & Maple
 - 100% Handcrafted
 - 4mm Sawn Cut

AVENUE COLLECTION

NEED SALES COPY	NEED SALES COPY	NEED SALES COPY	NEED SALES COPY
NEED SALES COPY	NEED SALES COPY	NEED SALES COPY	NEED SALES COPY
NEED SALES COPY	NEED SALES COPY	NEED SALES COPY	NEED SALES COPY
NEED SALES COPY	NEED SALES COPY	NEED SALES COPY	NEED SALES COPY
NEED SALES COPY	NEED SALES COPY	NEED SALES COPY	NEED SALES COPY
NEED SALES COPY	NEED SALES COPY	NEED SALES COPY	NEED SALES COPY
NEED SALES COPY	NEED SALES COPY	NEED SALES COPY	NEED SALES COPY
NEED SALES COPY	NEED SALES COPY	NEED SALES COPY	NEED SALES COPY
NEED SALES COPY	NEED SALES COPY	NEED SALES COPY	NEED SALES COPY
NEED SALES COPY	NEED SALES COPY	NEED SALES COPY	NEED SALES COPY

#1 COMMERCIAL FINISH

A moisture wear resistant commercial urethane topcoat protects the Real Wood wear layer of the floors from the wear and tear of everyday life. The Glaze Tek Commercial Finish reinforced with aluminum oxide, creating a physical barrier to provide maximum scratch and wear resistance.





#2 REAL WOOD

Only natural wood creates authentic and unique designs; in real hardwood floors you never see the same board repeated twice. That is why Hallmark has chosen real European Oak, American Hard Maple and American Hickory for the 4mm wear layer. The meticulously selected boards are carefully treated using hand-scraping and unique brushing techniques to enhance nature's own graining. The result is a floor that will add a sense of luxury and warmth to any space.



HICKORY

- Species Carya
- Etymology From Pokerchocora (Algonquin)
- Fruit Pecan
- Hardness 1820 Janka
- Strengths Dense, Strong, Shock Resistant



OAK

- Species Quercus
- Etymology From Staff of Life (Gabrieleno)
- Fruit Acorn
- Hardness 1360 Janka
- Strengths Dense, Stable, Strong



MAPLE

- Species Acer
- Etymology Maypul, Fertility, Tolerance
- Fruit Double Samara
- Hardness 1450 Janka
- Strengths Dense, Tonewood, Antibacterial

ONLY THE LARGEST HICKORY, OAK AND MAPLE TREES ARE HARVESTED TO MAKE OUR ULTRA WIDE PLANK

#3 TRUECORE


Hallmark Floors uses certified hardwood veneers and TSCA TITLE VI compliant glues for the centerply in our engineered floors' hardwood construction. The center veneers are cold pressed, then hot pressed with tremendous pressure. This process makes the center core Eco-friendly, harder and more proportionally stable.

- Higher Stability
- Higher Density
- Higher Strength
- Higher Indoor Air Quality

Truecore® is third party verified and surpasses the emission requirements.







FEATURES

Length: Up to 7'2" RL

Width: 9 ½"

Thickness: 5%" Engineered

4mm Sawn Cut Face

Finish: TrueMark GlazeTek®

Edge Detail: Handcrafted Micro Bevel

Certified: EPA - TSCA Title VI Compliant

3rd Party Certified

TrueCore: Third Party Certified

Warranty: Limited Lifetime residential finish

Limited Lifetime residential structural

5 year commercial finish

10 year commercial structural

BENEFITS

Finish: 12 coats of Aluminum Oxide

hand glazed satin finish

Guaranteed quality and durability -

long lasting finish

100% Renewable with Hallmark's XYZ

Wear Same visuals as 3/4" solid


Layer: wood floors

Top layer provides lasting durability

Structure: Greater dimensional stability

than 3/4" solid

Healthy indoor air quality





Ocean Drive Oak AVE95OCEO





Wilshire Oak AVE95WILO



Belle Meade Hickory AVE95BELH



Pennsylvania Maple AVE95PENM



Rodeo Oak AVE95RODO



Mulholland Oak AVE95MULO



Michigan Hickory AVE95MICH



Newbury Hickory AVE95NEWH



Lombard Maple AVE95LOMM



www.hallmarkfloors.com