



Quartz Oak DE35QUAO
Coordinating Color: Serenity Serene Oak



Opal Oak DE35OPAO
Coordinating Color: Serenity Fair Oak




Crystal Oak DE35CRYO
Coordinating Color: Serenity Cozy Oak



Amber Oak DE35AMBO
Coordinating Color: Serenity Calm Oak



Agate Oak DE35AGAO
Coordinating Color: Serenity Honest Oak



Obsidian Oak DE35OBZO
Coordinating Color: True Onyx Oak



Features

Dimensions:	3.54" x 17.72"
Thickness:	5/8" Engineered TrueCore Centerply 3mm Sawn Cut Face
Finish:	TrueMark GlazeTek®
Edge Detail:	Handcrafted Micro Bevel
Surface Texture:	Wire Brushed (Agate & Obsidian) Smooth (Quartz, Opal, Crystal, Amber)
Certified:	EPA - TSCA Title VI Compliant 3rd Party Certified - Responsibly Harvested
TrueCore:	Third Party Certified veneer*
Warranty:	Limited Lifetime residential finish Limited Lifetime residential structural 5 year commercial finish 10 year commercial structural
Maintenance:	Bona® Pro Series Hardwood Floor Cleaner. For full care and maintenance instructions visit HallmarkFloors.com/Floor-Care-Maintenance

Benefits

Finish:	12 coats of Aluminum Oxide hand glazed satin finish Superior color depth and durability 100% renewable without sanding via a Screen & Recoat
4mm Wear Layer:	Ultra thick wear layer provides lasting durability Same wear layer as 3/4 solid wood floors Easier to repair or touch up if an accident occurs
Structure:	75% Greater dimensional stability than 3/4" solid Healthy indoor air quality - Third party certified TrueCore centerply for maximum stability

Trim Options

Stair Nose
T-molding
Threshold
Reducer

Installation



Nail Down



Glue Down



Float



Over Radiant Heat

Installs over: concrete, wood, vinyl floors and radiant heat systems. Above, on or below grade.



Quartz Oak

Wood Characteristics

Color, Graining & Natural Changes



Wood flooring is a natural product that will feature distinct color and graining between planks. Each board contains large to small knots, sap wood, and a high contrast within the natural and lighter stained visuals. Knots and voids may or may not be filled with dark putty.

Note: This sample may not be representative of your entire installed floor, for your reference and the latest updated information, please refer to hallmarkfloors.com to see our online room scenes and product galleries.

Before installation review the samples with the floor and verify our beautiful one of a kind floor is what you are expecting.

Installation constitutes acceptance.

Light Characteristics

Wood Floor Plank with Natural Finish
Light* Exposure Over 48 Months

New Installation			
12 Months Later	24 Months Later	48 Months Later	*All band widths



TrueMark®
Glaze Tek Poly Finish

